SECTION 1 – GENERAL INFORMATION

TRADE NAME & SYNONYMS: COPPER ANTI-SEIZE

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

No applicable GHS categories

2.2 LABEL ELEMENTS

Using the Toxicity Data listed in Section XI and XII the product is labeled as follows: No applicable GHS categories

PREVENTION

No GHS prevention statements

RESPONSE

No GHS response statements

STORAGE No GHS storage statements

DISPOSAL

No GHS disposal statements

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|--|----------|--------------------|--------------|
| Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil-unspecified CAS Number: 0064742-52-5 | 50 - 75 | Asp. Tox. 1;H304 | [1] |
| Graphite CAS Number: 0007782-42-5 | 10 - 25 | Not Classified | [1] wpl= Yes |
| Calcined Kaolin CAS Number: 0066402-68-4 | 10 - 25 | Not Classified | [1] |
| Copper CAS Number: 0007440-50-8 | 1.0 - 10 | Not Classified | [1] wpl= Yes |

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.
 [3] PBT-substance or vPvB-substance.
 *The full texts of the phrases are shown in Section 16.

SECTION 4 – FIRST AID MEASURES

4.1. Description of first aid measures

| General | In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. |
|------------|---|
| Inhalation | Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth. |
| Eyes | Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention. |
| Skin | Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. |
| Ingestion | If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting. |

SECTION 4 – FIRST AID MEASURES (CONT)

4.2. Most important symptoms and effects, both acute and delayed

 Overview
 Skin: Defatting to the skin. Prolonged or repeated exposure can cause irritation and dermatitis.

 Eyes: Eye irritant. May cause redness, tearing and blurred vision Inhalation: Not expected Ingestion: May cause nausea, vomiting or diarrhea

 Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

SECTION 5 – FIRE FIGHTING MEASURES

5.1. Extinguishing media

Foam, dry chemical, CO2 and Halon

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon monoxide

5.3. Advice for fire-fighters

Special Fire Fighting Procedures: Avoid use of water streams.

Unusual Fire & Explosion Hazards: Drums heated by fire can support combustion. **ERG Guide No.**

SECTION 6 – ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Mop up or otherwise absorb and hold for disposal

SECTION 7 - HANDLING AND STORAGE

7.1. Precautions for safe handling

Keep out of reach of children. For use by trained personnel only. Keep container closed during storage. For industrial and institutional use only

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Strong oxidizers, concentrated oxygen

7.3. Specific end use(s)

No data available.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1. Control parameters

Exposure

| CAS No. | Ingredient | Source | Value |
|--|---------------------------------|----------------------|--|
| 0007440-50-8 Copper | | OSHA | TWA 1 mg/m3 [*Note: The PEL also applies to other copper compounds (as Cu) except copper fume.] |
| | | ACGIH | TWA: 0.2 mg/m3 (fume) 1 mg/m3 (dusts and mists) |
| | | NIOSH | TWA 1 mg/m3 [*Note: The REL also applies to other copper compounds (as Cu) except Copper fume.] |
| | | Supplier | No Established Limit |
| 0007782-42-5 | Graphite | OSHA | TWA 15 mg/m3TWA 15 mppcf |
| | | ACGIH | TWA: 2 mg/m3 |
| | NIOSH | TWA 2.5 mg/m3 (resp) | |
| | Supplier | No Established Limit | |
| 0064742-52-5 Distillates (petroleum), hydrotreated heavy | OSHA | No Established Limit | |
| | naphthenic; Baseoil-unspecified | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |
| 066402-68-4 | Calcined Kaolin | OSHA | No Established Limit |
| | ACGIH | No Established Limit | |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |

Contains mineral oil. The exposure limits for oil mist are 5 mg/m3 OSHA PEL and 10 mg/m3 ACGIH.

Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|---|------------|--|--|
| 0007440-50-8 Copper | | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 0007782-42-5 | Graphite | OSHA | Select Carcinogen: No |
| | NTP | Known: No; Suspected: No | |
| | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | |
| 0064742-52-5 Distillates (petroleum), | OSHA | Select Carcinogen: No | |
| hydrotreated heavy naphthenic; Baseoil-unspecified | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 0066402-68-4 Calcined Kaolin | | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |

| 8.2. Exposure controls | |
|------------------------|---|
| Respiratory | If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators. |
| Eyes | Safety glasses or face shield if method of dispensing promotes splashing. |
| Skin | Protective gloves recommended. |

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION (CONT)

| Engineering Controls | Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn. |
|----------------------|--|
| Other Work Practices | Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse. |

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | Bronze Paste |
|---|-------------------------------------|
| Odor | Mild Hyrdrocarbon |
| Odor threshold | Not determined |
| рН | Not Measured |
| Melting point / freezing point | Not Measured |
| Initial boiling point and boiling range | > 600 F |
| Flash Point | 450 F |
| Evaporation rate (Ether = 1) | < 1 |
| Flammability (solid, gas) | Not Applicable |
| Upper/lower flammability or explosive limits | Lower Explosive Limit: Not Measured |
| | Upper Explosive Limit: Not Measured |
| Vapor pressure (Pa) | < 10 |
| Vapor Density | > 1 |
| Specific Gravity | 1.10 |
| Solubility in Water | Not Measured |
| Partition coefficient n-octanol/water (Log Kow) | Not Measured |
| Auto-ignition temperature | Not Measured |
| Decomposition temperature | Not Measured |
| Viscosity (cSt) | Not Measured |
| 9.2. Other information | |
| No other relevant information. | |

SECTION 10 - STABILITY AND REACTIVITY

10.1. Reactivity Hazardous Polymerization will not occur.

10.2. Chemical stability
Stable under normal circumstances.
10.3. Possibility of hazardous reactions
No data available.
10.4. Conditions to avoid
Excessive heat and open flame.
10.5. Incompatible materials
Strong oxidizers, concentrated oxygen
10.6. Hazardous decomposition products
Carbon monoxide

SECTION 11 – TOXICOLOGICAL INFORMATION

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|---|---------------------|---------------------|---------------------------------------|---|--------------------------------|
| Distillates (petroleum), hydrotreated heavy naphthenic; | > 5,000.00, Rat | No data | No data | 5.70, Rat - | No data |
| Baseoil-unspecified - (64742-52-5) | - Category: NA | available | available | Category: NA | available |
| Graphite - (7782-42-5) | No data | No data | No data | No data | No data |
| | available | available | available | available | available |
| Calcined Kaolin - (66402-68-4) | No data | No data | No data | No data | No data |
| | available | available | available | available | available |
| Copper - (7440-50-8) | 2,500.00, Rat - | >2,000.00, Rat - | No data | 5.11, Rat - | No data |
| | Category: 5 | Category: 5 | available | Category: NA | available |

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| CLASSIFICATION | CATEGORY | HAZARD DESCRIPTION |
|-------------------------------|----------|--------------------|
| Acute Toxicity (oral) | | Not Applicable |
| Acute Toxicity (dermal) | | Not Applicable |
| Acute Toxicity (inhalation) | | Not Applicable |
| Skin Corrosion/Irritation | | Not Applicable |
| Serious Eye Damage/Irritation | | Not Applicable |
| Respiratory Sensitization | | Not Applicable |
| Skin Sensitization | | Not Applicable |
| Germ Cell Mutagenicity | | Not Applicable |
| Carcinogenicity | | Not Applicable |
| Reproductive Toxicity | | Not Applicable |
| STOT-Single Exposure | | Not Applicable |
| STOT-Repeated Exposure | | Not Applicable |
| Aspiration Hazard | | Not Applicable |

SECTION 12 – ECOLOGICAL INFORMATION

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

5 of 7

SECTION 12 - ECOLOGICAL INFORMATION (CONT)

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/l | 48 hr EC50 crustacea, mg/l | ErC50 algae, mg/l |
|---|----------------------------------|-------------------------------|---|
| Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil-unspecified - (64742-52-5) | 5,000.00, Oncorhynchus mykiss | 1,000.00, Daphnia magna | 1,000.00 (96 hr), Scenedesmus subspicatus |
| Graphite - (7782-42-5) | Not Available | Not Available | Not Available |
| Calcined Kaolin - (66402-68-4) | Not Available | Not Available | Not Available |
| Copper - (7440-50-8) | 0.0103, Pimephales promelas | 0.0025, Daphnia magna | 0.018 (72 hr), Pseudokirchneriella subcapitata |

12.2. Persistence and degradability
There is no data available on the preparation itself.
12.3. Bioaccumulative potential
Not Measured
12.4. Mobility in soil
No data available.
12.5. Results of PBT and vPvB assessment
This product contains no PBT/vPvB chemicals.
12.6. Other adverse effects
No data available.

SECTION 13 - DISPOSAL

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

SECTION 14 - TRANSPORTATION

| | DOT (Domestic Surface Transportation) | IMO / IMDG (Ocean Transportation) | ICAO/IATA |
|-------------------------------------|--|---|---------------------------|
| 14.1. UN number | Not Applicable | Not Regulated | Not Regulated |
| 14.2. UN proper shipping name | Not Regulated | Not Regulated | Not Regulated |
| 14.3. Transport hazard class(es) | DOT Hazard Class: Not Applicable | IMDG: Not Applicable Sub Class: Not Applicable | Air Class: Not Applicable |
| 14.4. Packing group | Not Applicable | Not Applicable | Not Applicable |
| 14.5. Environmental hazard | ls | | |
| IMDG Marii | ne Pollutant: No | | |
| 14.6. Special precautions f | or user | | |
| No fu | urther information | | |

SECTION 15 – REGULATORY INFORMATION

 Regulatory Overview
 The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

 Toxic Substance
 All components of this material are either listed or exempt from listing on the TSCA Inventory.

 WHMIS Classification
 Not Regulated

 US EPA Tier II Hazards
 Fire: No

 Sudden Release of Pressure: No
 Reactive: No

 Immediate (Acute): No
 Immediate (Acute): No

Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs (lbs):

Copper (5,000.00)

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Copper

Proposition 65 - Carcinogens (>0.0%):

Calcined Kaolin

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Copper Graphite

Pennsylvania RTK Substances (>1%):

Copper

Graphite

SECTION 16 - DISCLAIMER

The full text of the phrases appearing in section 3 is:

H304 May be fatal if swallowed and enters airways.

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE; OBTAINED FROM SOURCES BELIEVED BY VALCO CINCINNATI, INC. TO BE ACCURATE. SINCE THE CONDITIONS AND METHODS OF USE OF OUR PRODUCT ARE BEYOND OUR CONTROL, WE DISCLAIM ANY AND ALL LIABILITY ARISING OUT OF THE IMPROPER USE OF THIS PRODUCT OR THE INFORMATION PROVIDED HERE WITH.