

VALCO CINCINNATI CONSUMER PRODUCTS INC.

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: VALCO HYLOMAR SILICONE SEALANT 100 SERIES 710XX117, 710XX280, 710XX297, 710XX298, 710XX364, 710XX390

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053


PRODUCT INFORMATION NO.: (513) 874-6550

DATE ISSUED: FEBURARY 1, 2018

SECTION – GENERAL INFORMATION

MANUFACTURER'S NAME: HYLOMAR LTD WIGAN ENGLAND
TRADE NAME & SYNONYMS: HYLOMAR SILICONE SEALANT
RECOMMENDED USE: Automotive Amine curing RTV Silicone Sealant

SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Warning	
Hazard statement	Causes skin irritation. Causes serious eye damage.	
Precautionary statement		
Prevention	Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	
Hazard(s) not otherwise classified (HNOC)	In high concentrations, vapors may irritate throat and respiratory system and cause coughing.	

SECTION 3 – HAZARDS IDENTIFICATION**Mixtures**

Chemical name	CAS number	%
N,N',N"-Tricyclohexyl-1-methyl silanetriamine	15901-40-3	1 - 5
Carbon black	1333-86-4	1 - 2

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4 – FIRST AID

Inhalation	Move into fresh air and keep at rest. If not breathing, give artificial respiration or give oxygen by trained personnel. Get medical attention if any discomfort continues.
Skin contact	Take off immediately all contaminated clothing. Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.
Eye contact	Immediately flush with plenty of water. Remove any contact lenses and open eyelids wide apart. Call an ambulance and continue flushing during transportation to hospital taking along these instructions.
Ingestion	Rinse mouth thoroughly. Drink a few glasses of water or milk. Get medical attention if any discomfort continues.
Most important symptoms/effects, acute and delayed	Skin irritation. May cause redness and pain. Extreme irritation of eyes and mucous membranes, including burning and tearing. In high concentrations, vapors may be irritating to the respiratory system.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

VALCO CINCINNATI CONSUMER PRODUCTS INC.

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: VALCO HYLOMAR SILICONE SEALANT 100 SERIES 710XX117, 710XX280, 710XX297, 710XX298, 710XX364, 710XX390

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.: (513) 874-6550

DATE ISSUED: FEBURARY 1, 2018

SECTION 5 – FIRE FIGHTING MEASURES

Suitable extinguishing media	Water spray, foam, dry powder or carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	By heating and fire, toxic vapors/gases may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.
Fire-fighting equipment/instructions	Cool containers exposed to heat with water spray and remove container, if no risk is involved. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.
General fire hazards	The product is not flammable.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Keep upwind. Ventilate closed spaces before entering. Avoid inhalation of vapors/spray and contact with skin and eyes. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this SDS.
Methods and materials for containment and cleaning up	Ventilate the area. In case of spills, beware of slippery floors and surfaces. Wipe up with absorbent material (e.g. cloth, fleece). Transfer to a container for disposal. Following product recovery, flush area with water. For waste disposal, see Section 13 of the SDS.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or onto the ground.

SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE

Precautions for safe handling	Keep away from sources of ignition - No smoking. Wear protective clothing as described in Section 8 of this safety data sheet. Use only outdoors or in a well-ventilated area. Avoid inhalation of vapors/mist and contact with skin and eyes. Avoid prolonged exposure. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. Avoid release to the environment.
Conditions for safe storage, including any incompatibilities	Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, spark, open flames and other sources of ignition. Store away from incompatible materials. Store locked up. Protect from moisture.

SECTION 8 – CONTROL MEASURES

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3

VALCO CINCINNATI CONSUMER PRODUCTS INC.

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET**MATERIAL NAME:** VALCO HYLOMAR SILICONE SEALANT 100 SERIES 710XX117, 710XX280, 710XX297, 710XX298, 710XX364, 710XX390**EMERGENCY TELEPHONE NO.:** CALL INFOTRAC AT 1-800-535-5053**PRODUCT INFORMATION NO.:** (513) 874-6550**DATE ISSUED:** FEBURARY 1, 2018**SECTION 8 – CONTROL MEASURES (CONT)****US. ACGIH Threshold Limit Values**

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3

Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	Follow standard monitoring procedures.
Appropriate engineering controls	Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors. Provide adequate ventilation. The listed ingredients in section 3 and 8 are encapsulated within the silicone matrix, therefore no exposure to these materials is expected during normal use/handling of this product. The exposure limits listed are provided for safety reasons. Under the effect of humidity, water and protoic agents a small quantity of Cyclohexylamine will be released.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear protective gloves. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.
Other	Normal work clothing (long sleeved shirts and long pants) is recommended.
Respiratory protection	Not normally needed. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134.
Thermal hazards	Not applicable.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Paste.
Physical state	Liquid.
Form	Paste.
Color	101 Ivory: Ivory. 101 Gray: Gray. 102 Black : Black. 103 Translucent : Colorless. 106 Ivory: Ivory.
Odor	Characteristic. Amine.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not applicable.
Initial boiling point and boiling range	Not applicable.
Flash point	392.0 °F (200.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.

VALCO CINCINNATI CONSUMER PRODUCTS INC.

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: VALCO HYLOMAR SILICONE SEALANT 100 SERIES 710XX117, 710XX280, 710XX297, 710XX298, 710XX364, 710XX390

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.: (513) 874-6550

DATE ISSUED: FEBURARY 1, 2018

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES (CONT)

Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.15 (25 °C) (Water = 1)
Solubility(ies)	
Solubility (water)	Insoluble in water.
Partition coefficient (n-octanol/water)	No data available.
Auto-ignition temperature	824 °F (440 °C)
Decomposition temperature	Not available.
Viscosity	Not applicable.
Other information	
Explosive limit	Not available.
Explosive properties	Not available.
Oxidizing properties	Not available.
VOC (Weight %)	0 % (Hylomar Test Method 1.1A Determination of Volatile Matter)

SECTION 10 – STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	None known.
Hazardous decomposition products	Under the effect of humidity, water and protoic agents a small quantity of Cyclohexylamine will be released. At a temperature of approx 150°C a small amount of formaldehyde can be released by oxidative degradation.

SECTION 11 – TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	
Ingestion	Ingestion may cause irritation and malaise.
Inhalation	In high concentrations, vapors may irritate throat and respiratory system and cause coughing.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Skin irritation. May cause redness and pain. Extreme irritation of eyes and mucous membranes, including burning and tearing. In high concentrations, vapors may be irritating to the respiratory system.
Information on toxicological effects	
Acute toxicity	Ingestion may cause irritation and malaise.

VALCO CINCINNATI CONSUMER PRODUCTS INC.

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET**MATERIAL NAME:** VALCO HYLOMAR SILICONE SEALANT 100 SERIES 710XX117, 710XX280, 710XX297, 710XX298, 710XX364, 710XX390**EMERGENCY TELEPHONE NO.:** CALL INFOTRAC AT 1-800-535-5053**PRODUCT INFORMATION NO.:** (513) 874-6550**DATE ISSUED:** FEBURARY 1, 2018**SECTION 11 – TOXICOLOGICAL INFORMATION (CONT)**

Components	Species	Test Results
Siloxanes and silicones, di-Me, hydroxy-terminated (CAS 70131-67-8)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	>= 15200 mg/kg
<i>Oral</i>		
LD50	Rat	>= 60800 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitization		
Respiratory sensitization	No data available.	
Skin sensitization	No data available.	
Germ cell mutagenicity	No data available.	
Carcinogenicity	Inhalation of carbon black dust may cause cancer, however due to the physical form of the product, inhalation of dust is not likely.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
Carbon black (CAS 1333-86-4)	2B Possibly carcinogenic to humans.	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)		
Not listed.		
Reproductive toxicity	No data available.	
Specific target organ toxicity - single exposure	No data available.	
Specific target organ toxicity - repeated exposure	No data available.	
Aspiration hazard	No data available.	
Chronic effects	None known.	
Further information	No other specific acute or chronic health impact noted.	

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	The product is not readily biodegradable.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Mobility in general	The product is insoluble in water.
Other adverse effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal instructions	Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Do not discharge into rivers, lakes, mountains, etc. because the product may affect the environment.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

VALCO CINCINNATI CONSUMER PRODUCTS INC.

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: VALCO HYLOMAR SILICONE SEALANT 100 SERIES 710XX117, 710XX280, 710XX297, 710XX298, 710XX364, 710XX390

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.: (513) 874-6550

DATE ISSUED: FEBRUARY 1, 2018

SECTION 14 - TRANSPORTATION

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78 and
the IBC Code**

SECTION 15 – REGULATORY INFORMATION

US FEDERAL REGULATIONS

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA SECTION 12(b) EXPORT NOTIFICATION (40 CFR 707, SUBPT. D)

Not regulated

OSHA SPECIFICALLY REGULATED SUBSTANCED (29 CFR 1910.1001-1050)

Not regulated

CERCLA HAZARDOUS SUBSTANCE LIST (40 CFR 302.4)

Not listed

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1985 (SARA)

HAZARD CATEGORIES

Immediate Hazard – Yes

Delayed Hazard – No

Fire Hazard – No

Pressure Hazard – No

Reactivity Hazard – No

SARA 302 EXTREMELY HAZARDOUS SUBSTANCE

Not listed

SARA 311/312 HAZARDOUS CHEMICAL

Yes

SARA 313 (TRI REPORTING)

Not regulated

OTHER FEDERAL REGULATIONS

CLEAN AIR ACT (CAA) SECTION 112 HAZARDOUS AIR POLLUTANTS (HAPs) LIST

Not regulated

CLEAN AIR ACT (CAA)SECTION 112(r) ACCIDENTAL RELEASE PREVENTION (40 CFR 68.130)

Not regulated

SAFE DRINKING WATER ACT (SDWA)

Not regulated

US STATE REGULATIONS

United States and Puerto Rico: The "No" is due to the product containing a substance considered a mixture under TSCA which is therefore excluded from the TSCA 8(b) listing. All other ingredients are listed on the inventory

WARNING: This product contains a chemical known to the State of California to cause cancer

US MASSACHUSETTS RTK – SUBSTANCE LIST

Carbon black (CAS 1333-86-4)

US NEW JERSEY WORKER AND COMMUNITY RIGHT-TO-KNOW ACT

Carbon black (CAS 1333-86-4)

US PENNSYLVANIA WORKER AND COMMUNITY RIGHT-TO-KNOW ACT

Carbon black (CAS 1333-86-4)

US RHODE ISLAND RTK

Not regulated

US CALIFORNIA PROPOSITION 65 – CARCINOGENS & REPRODUCTIVE TOXICITY (CRT): LISTED SUBSTANCE

Carbon black (CAS 1333-86-4)

VALCO CINCINNATI CONSUMER PRODUCTS INC.**ADDRESS:** 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246**SAFETY DATA SHEET****MATERIAL NAME:** VALCO HYLOMAR SILICONE SEALANT 100 SERIES 710XX117, 710XX280, 710XX297, 710XX298, 710XX364, 710XX390**EMERGENCY TELEPHONE NO.:** CALL INFOTRAC AT 1-800-535-5053**PRODUCT INFORMATION NO.:** (513) 874-6550**DATE ISSUED:** FEBURARY 1, 2018**SECTION 15 – REGULATORY INFORMATION (CONT)****INTERNATIONAL INVENTORIES**

COUNTRY(s) OR REGION	INVENTORY NAME	ON INVENTORY
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

SECTION 16 – OTHER INFORMATION/DISCLAIMER**Further Information****HMIS® ratings**

HMIS® is a registered trade and service mark of the NPCA.

Health: 3
Flammability: 1
Physical hazard: 0**NFPA ratings****References**ACGIH
EPA: AQUIRE database
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents
HSDB® - Hazardous Substances Data Bank
IARC Monographs. Overall Evaluation of Carcinogenicity
National Toxicology Program (NTP) Report on Carcinogens
ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices**DISCLAIMER:**

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE; OBTAINED FROM SOURCES BELIEVED BY VALCO CINCINNATI, INC. TO BE ACCURATE. SINCE THE CONDITIONS AND METHODS OF USE OF OUR PRODUCT ARE BEYOND OUR CONTROL, WE DISCLAIM ANY AND ALL LIABILITY ARISING OUT OF THE IMPROPER USE OF THIS PRODUCT OR THE INFORMATION PROVIDED HEREWITH.