

VALCO CINCINNATI CONSUMER PRODUCTS INC.
ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246
SAFETY DATA SHEET
MATERIAL NAME: HYLOMAR AERO GRADE ULTRA **PART NUMBER:** 710XX447, 710XX327
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.:(513) 874-6550
DATE ISSUED: MAY 2015

SECTION I – GENERAL INFORMATION

MANUFACTURER'S NAME: HYLOMAR LTD
TRADE NAME & SYNONYMS: HYLOMAR AERO GRADE ULTRA PL32A **PROPER SHIPPING NAME:** ADHESIVES
SHELF LIFE: 2 YEARS

SECTION II – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

Classification F;R11, Xi;R36, R66-67

The full text for all R-phrases is displayed in section 16.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Flammable liquids	Category 2	H225 - Highly flammable liquid and vapour.
-------------------	------------	--

Health hazards

Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Specific target organ toxicity - single exposure	Category 3 narcotic effects	H336 - May cause drowsiness or dizziness.

Hazard summary

Physical hazards	Highly flammable.
Health hazards	Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.
Environmental hazards	Not classified for hazards to the environment.
Specific hazards	Highly flammable. Irritating to eyes. Dries out the skin.
Main symptoms	Irritation of eyes and mucous membranes. Vapours may cause drowsiness and dizziness. Prolonged or repeated skin contact may cause drying, cracking, or irritation.

2.2 LABEL ELEMENTS

Label according to Regulation (EC) No. 1272/2008 as amended

CONTAINS: Acetone

Hazard pictograms



Signal word

Danger

Hazard statements

H225 - Highly flammable liquid and vapour.
H319 - Causes serious eye irritation.
H336 - May cause drowsiness or dizziness.

VALCO CINCINNATI CONSUMER PRODUCTS INC.

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: HYLOMAR AERO GRADE ULTRA PART NUMBER: 710XX447, 710XX327

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.:(513) 874-6550

DATE ISSUED: MAY 2015

SECTION II – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (CONT)**Precautionary statements**

Prevention	P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P261 - Avoid breathing mist or vapour. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Response	P370 + P378 - In case of fire: Use foam, carbon dioxide, dry powder or water fog for extinction.
Storage	P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
Disposal	P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	EUH066 - Repeated exposure may cause skin dryness or cracking.
2.3. Other hazards	None known.

SECTION III – COMPOSITION**3.2. Mixtures****General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Acetone	25 - 50	67-64-1 200-662-2	-	606-001-00-8	#
Classification:	DSD:	F;R11, Xi;R36, R66-67			
	CLP:	Flam. Liq. 2;H225, Eye Irrit. 2;H319, STOT SE 3;H336			

List of abbreviations and symbols that may be used above

#: This substance has been assigned Community workplace exposure limit(s).

CLP: Regulation No. 1272/2008.

DSD: Directive 67/548/EEC.

Composition comments The full text for all R- and H-phrases is displayed in section 16. All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION IV – FIRST AID**General information**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation	Move into fresh air and keep at rest. If not breathing, give artificial respiration or give oxygen by trained personnel. Get medical attention if any discomfort continues.
Skin contact	Take off immediately all contaminated clothing. Wash skin thoroughly with soap and water. If irritation persists get medical attention.
Eye contact	Flush eyes thoroughly with water for at least 15 minutes. Remove any contact lenses. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly. Drink a few glasses of water or milk. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Irritation of eyes and mucous membranes. Vapours may cause drowsiness and dizziness. Prolonged or repeated skin contact may cause drying, cracking, or irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

VALCO CINCINNATI CONSUMER PRODUCTS INC.

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: HYLOMAR AERO GRADE ULTRA PART NUMBER: 710XX447, 710XX327

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.:(513) 874-6550

DATE ISSUED: MAY 2015

SECTION V – FIREFIGHTING MEASURES

General fire hazards	The product is highly flammable, and explosive vapour/air mixtures may be formed even at normal room temperatures. Vapours are heavier than air and may travel along the ground to some distant source of ignition and flash back.
5.1. Extinguishing media	
Suitable extinguishing media	Water spray, foam, dry powder or carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	By heating and fire, harmful vapours/gases may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.
Special fire fighting procedures	Cool containers exposed to heat with water spray and remove container, if no risk is involved. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

SECTION VI – ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel	Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapours or mists. Avoid contact with skin and eyes.
For emergency responders	Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Eliminate all ignition sources. Ventilate the area. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Wipe up spilled material and place in a suitable container for disposal. Large Spills: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION VII – HANDLING AND STORAGE

7.1. Precautions for safe handling	Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Ground container and transfer equipment to eliminate static electric sparks. Use non-sparking hand tools and explosion-proof electrical equipment. Use only outdoors or in a well-ventilated area. Avoid breathing mists or vapours. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid prolonged exposure. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. Avoid release to the environment.
7.2. Conditions for safe storage, including any incompatibilities	Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, spark, open flames and other sources of ignition. Store away from incompatible materials.
7.3. Specific end use(s)	Non-Setting and Non-Hardening Gasketing Compound.

VALCO CINCINNATI CONSUMER PRODUCTS INC.
ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246
SAFETY DATA SHEET
MATERIAL NAME: HYLOMAR AERO GRADE ULTRA **PART NUMBER:** 710XX447, 710XX327
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.:(513) 874-6550
DATE ISSUED: MAY 2015

SECTION VIII – PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value
Acetone (CAS 67-64-1)	STEL	3620 mg/m ³
		1500 ppm
	TWA	1210 mg/m ³
		500 ppm

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU

Components	Type	Value
Acetone (CAS 67-64-1)	TWA	1210 mg/m ³
		500 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no-effect level (DNEL) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls Use explosion-proof ventilation equipment. Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours. Provide easy access to water supply or an emergency shower.

Individual protection measures, such as personal protective equipment

General information Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection If eye contact is likely, safety glasses with side shields or chemical type goggles should be worn.

Skin protection

- Hand protection Wear protective gloves. Butyl rubber gloves are recommended. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.

- Other Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment with combination filter (type A2/P2).

Thermal hazards Not applicable.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure controls Environmental manager must be informed of all major releases.

VALCO CINCINNATI CONSUMER PRODUCTS INC.
ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246
SAFETY DATA SHEET
MATERIAL NAME: HYLOMAR AERO GRADE ULTRA **PART NUMBER:** 710XX447, 710XX327
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.:(513) 874-6550
DATE ISSUED: MAY 2015

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES
--

9.1. Information on basic physical and chemical properties

Appearance	Blue thixotropic gel.
Physical state	Liquid.
Form	Thixotropic gel.
Colour	Blue.
Odour	Sweet. Ethereal.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable.
Flash point	-17.0 °C (1.4 °F) Closed cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	4
Flammability limit - upper (%)	57
Vapour pressure	185 (20 °C/68 °F)
Vapour density	2 (Air = 1) (20 °C/68 °F)
Relative density	Light grade: 0.95 (20 °C/68 °F) Medium grade: 1.03 (20 °C/68 °F) Heavy grade: 1.10 (20 °C/68 °F)
Solubility(ies)	Slightly miscible.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not applicable.
Explosive properties	Not available.
Oxidizing properties	Not available.
9.2. Other information	
Explosive limit	Not available.
VOC (Weight %)	25 - 50 (Hylomar Test Method 1.1A Determination of Volatile Matter)

VALCO CINCINNATI CONSUMER PRODUCTS INC.

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: HYLOMAR AERO GRADE ULTRA PART NUMBER: 710XX447, 710XX327

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.:(513) 874-6550

DATE ISSUED: MAY 2015

SECTION X - STABILITY AND REACTIVITY

10.1. Reactivity	The product is stable and non reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Risk of ignition. Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Heat, flames and sparks. Avoid temperatures exceeding the flash point.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION XI – TOXICOLOGICAL INFORMATION

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation	Vapours may cause drowsiness and dizziness. In high concentrations, vapours may be irritating to the respiratory system.
Skin contact	Prolonged or repeated skin contact may cause drying, cracking, or irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Ingestion may cause irritation and malaise.

Symptoms Irritation of eyes and mucous membranes. Vapours may cause drowsiness and dizziness. Prolonged or repeated skin contact may cause drying, cracking, or irritation.

11.1. Information on toxicological effects

Acute toxicity Components	Species	Test results
Acetone (CAS 67-64-1)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	20 ml/kg
<i>Inhalation</i>		
LC50	Rat	50 mg/l, 8 Hours
<i>Oral</i>		
LD50	Rat	5800 mg/kg
Skin corrosion/irritation	Prolonged or repeated skin contact may cause drying, cracking, or irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory sensitisation	Not classified.	
Skin sensitisation	Not classified.	
Germ cell mutagenicity	Not classified.	
Carcinogenicity	Not classified.	
Reproductive toxicity	Not classified.	
Specific target organ toxicity - single exposure	May cause drowsiness or dizziness.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not classified.	
Mixture versus substance information	Not applicable.	
Other information	No other specific acute or chronic health impact noted.	

VALCO CINCINNATI CONSUMER PRODUCTS INC.
ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246
SAFETY DATA SHEET
MATERIAL NAME: HYLOMAR AERO GRADE ULTRA **PART NUMBER:** 710XX447, 710XX327
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.:(513) 874-6550
DATE ISSUED: MAY 2015

SECTION XII – ECOLOGICAL INFORMATION

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test results
Acetone (CAS 67-64-1)		
Aquatic		
Fish	LC50 Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
12.2. Persistence and degradability	No data available.	
12.3. Bioaccumulative potential		
Partition coefficient n-octanol/water (log Kow)		
Acetone (CAS 67-64-1)		-0.24
Bioconcentration factor (BCF)	Not available.	
12.4. Mobility in soil	No data available.	
Mobility in general	The product is miscible with water. May spread in water systems.	
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.	
12.6. Other adverse effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.	

SECTION XIII – DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Residual waste Do not discharge into rivers, lakes, mountains, etc. because the product may affect the environment.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

EU waste code 08 04 09*
The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose of in accordance with local regulations.

SECTION XIV - TRANSPORTATION

ADR

14.1. UN number UN1133

14.2. UN proper shipping name ADHESIVES.

14.3. Transport hazard class(es)

Class 3

Subsidiary risk -

Label(s) 3

Hazard No. (ADR) 33

Tunnel restriction code D/E

14.4. Packing group II

14.5. Environmental hazards No.

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

VALCO CINCINNATI CONSUMER PRODUCTS INC.

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: HYLOMAR AERO GRADE ULTRA **PART NUMBER:** 710XX447, 710XX327

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.:(513) 874-6550

DATE ISSUED: MAY 2015

SECTION XIV – TRANSPORTATION (CONT)

RID

14.1. UN number UN1133
14.2. UN proper shipping name ADHESIVES.
14.3. Transport hazard class(es)
Class 3
Subsidiary risk -
Label(s) 3
14.4. Packing group II
14.5. Environmental hazards No.
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

ADN

14.1. UN number UN1133
14.2. UN proper shipping name ADHESIVES.
14.3. Transport hazard class(es)
Class 3
Subsidiary risk -
Label(s) 3
14.4. Packing group II
14.5. Environmental hazards No.
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

14.1. UN number UN1133
14.2. UN proper shipping name Adhesives.
14.3. Transport hazard class(es)
Class 3
Subsidiary risk -
Label(s) 3
14.4. Packing group II
14.5. Environmental hazards No.
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

14.1. UN number UN1133
14.2. UN proper shipping name ADHESIVES.
14.3. Transport hazard class(es)
Class 3
Subsidiary risk -
Label(s) 3
14.4. Packing group II
14.5. Environmental hazards
Marine pollutant No.
EmS F-E, S-D
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

VALCO CINCINNATI CONSUMER PRODUCTS INC.

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: HYLOMAR AERO GRADE ULTRA **PART NUMBER:** 710XX447, 710XX327

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.:(513) 874-6550

DATE ISSUED: MAY 2015

SECTION XV – REGULATORY INFORMATION (CONT)

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Acetone (CAS 67-64-1)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not listed.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Acetone (CAS 67-64-1)

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended and respective national laws implementing EC directives.

National regulations

Follow national regulation for work with chemical agents.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

VALCO CINCINNATI CONSUMER PRODUCTS INC.

ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246

SAFETY DATA SHEET

MATERIAL NAME: HYLOMAR AERO GRADE ULTRA **PART NUMBER:** 710XX447, 710XX327

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.:(513) 874-6550

DATE ISSUED: MAY 2015

SECTION XVI – OTHER INFORMATION

List of abbreviations	CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC. DNEL: Derived No-Effect Level. PNEC: Predicted No-Effect Concentration. LD50: Lethal Dose, 50%. LC50: Lethal Concentration, 50%.
References	Not available.
Information on evaluation method leading to the classification of mixture	The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.
Full text of any statements or R-phrases and H-statements under Sections 2 to 15	R11 Highly flammable. R36 Irritating to eyes. R66 Repeated exposure may cause skin dryness or cracking. R67 Vapours may cause drowsiness and dizziness. H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Training information	Follow training instructions when handling this material.

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE; OBTAINED FROM SOURCES BELIEVED BY VALCO CINCINNATI, INC. TO BE ACCURATE. SINCE THE CONDITIONS AND METHODS OF USE OF OUR PRODUCT ARE BEYOND OUR CONTROL, WE DISCLAIM ANY AND ALL LIABILITY ARISING OUT OF THE IMPROPER USE OF THIS PRODUCT OR THE INFORMATION PROVIDED HEREWITH.