

**VALCO CINCINNATI CONSUMER PRODUCTS INC.**  
**SAFETY DATA SHEET**  
**MATERIAL NAME: HYLOMAR M AEROSOL 710XX362**  
**EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053**  
**PRODUCT INFORMATION NO.: (513) 874-6550**  
**DATE ISSUED: MAY 2015**

**SECTION I – GENERAL INFORMATION**

**MANUFACTURER'S NAME:** HYLOMAR LTD  
**ADDRESS:** CALE LANE, NEW SPRINGS WIGAN WN2 1JT  
**TRADE NAME & SYNONYMS:** NONE  
**USES:** Non-Setting and Non-Hardening Gasketing Compound  
**SHELF LIFE:** 2 YEARS

**SECTION II – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

**CLASSIFICATION OF THE SUBSTANCE OR MIXTURE**

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

**CLASSIFICATION ACCORDING TO DIRECTIVE 67/548/EEC OR 1999/45/EC AS AMENDED**

**Classification** F+,R12, Xi,R36, R66-67

The full text for all R-phrases is displayed in section 16.

**CLASSIFICATION ACCORDING TO REGULATION (EC) NO 1272/2008 AS AMENDED**

**PHYSICAL HAZARDS**

Flammable aerosols	Category 1	Extremely flammable aerosol
--------------------	------------	-----------------------------

**HEALTH HAZARDS**

Serious eye damage/eye irritation	Category 2	Causes serious eye irritation
-----------------------------------	------------	-------------------------------

Specific target organ toxicity-single exposure	Category 2 (Central Nervous system)	May cause damage to organs (Central Nervous System)
--	-------------------------------------	---

Specific target organ toxicity-single exposure	Category 3 narcotic effects	May cause drowsiness or dizziness
--	-----------------------------	-----------------------------------

**HAZARD SUMMARY**

**PHYSICAL** Extremely flammable

**HEALTH** Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapors may cause drowsiness and dizziness

**ENVIRONMENTAL** Not classified for hazards to the environment

**SPECIFIC HAZARDS** When sprayed on a naked flame or any incandescent material the aerosol vapors can be ignited. Aerosol containers can explode when heated due to excessive pressure build-up. Causes severe eye irritation. Vapors may cause drowsiness and dizziness

**MAIN SYMPTOMS** Exposed may experience eye tearing, redness and discomfort. Prolonged and/or repeated skin contact may result in mild irritation or redness. Vapors may cause drowsiness and dizziness. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

VALCO CINCINNATI CONSUMER PRODUCTS INC.  
SAFETY DATA SHEET  
MATERIAL NAME: HYLOR M AEROSOL 710XX362  
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053  
PRODUCT INFORMATION NO.: (513) 874-6550  
DATE ISSUED: MAY 2015

**SECTION II – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (CONT)**

**LABEL ELEMENTS**

**LABEL ACCORDING TO REGULATION (EC) No. 1272/2008 AS AMENDED**

**CONTAINS:** Acetone, Dimethyl ether



**SIGNAL WORD:** Danger

**HAZARD STATEMENTS:** Extremely flammable aerosol. Causes serious eye irritation. May cause drowsiness or dizziness. May cause damage to organs (Central nervous system)

**PRECAUTIONARY STATEMENTS**

**PREVENTION** Keep away from heat/sparks/open flames/hot surfaces. No smoking. Pressurized container: Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Do not breath mist/vapor/spray. Wear eye/face protection. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Wash thoroughly after handling

**RESPONSE** If exposed and you do not feel well, call a Poison Center or physician. If in eyes rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, seek medical attention. If inhaled remove to fresh air and keep at rest in a position comfortable for breathing. Call a Poison Center or physician if you feel unwell

**STORAGE** Store locked up. Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F

**DISPOSAL** Dispose of contents/container in accordance with local/regional/ national/ international regulations

**SUPPLEMENTAL LABEL INFORMATION**

Repeated exposure may cause skin dryness or cracking

**OTHER HAZARDS** Not assigned

VALCO CINCINNATI CONSUMER PRODUCTS INC.  
SAFETY DATA SHEET  
MATERIAL NAME: HYLOMAR M AEROSOL 710XX362  
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053  
PRODUCT INFORMATION NO.: (513) 874-6550  
DATE ISSUED: MAY 2015

### SECTION III – COMPOSITION

#### MIXTURE

#### GENERAL INFORMATION

CHEMICAL NAME	%	CAS NO/EC NO	REACH REGISTRATION#	INDEX#
Acetone	25-50	67-64-1 200-662-2		606-001-00-8
<b>CLASSIFICATION:</b>	<b>DSD:</b>	F;R11, Xi;R36, R66-67		
	<b>CLP:</b>	Flam. Liq. 2;H225, Eye Irrit. 2;H319, STOT SE 3;H336		
Dimethyl ether	25-50	115-10-6 204-065-8		603-019-00-8
<b>CLASSIFICATION:</b>	<b>DSD:</b>	F+;R12		
	<b>CLP:</b>	Flam. Gas 1;H220, Eye Irrit. 2;H319, STOT SE 2;H371		

**CLP:** Regulation No. 1272/2008  
**DSD:** Directive 67/548/EEC

**COMPOSITION COMMENTS:** The full test for all R- and H- phrases is displayed in Section 16. All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume

### SECTION IV – FIRST AID

<b>GENERAL INFORMATION:</b>	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves
<b>DESCRIPTION OF FIRST AID MEASURES:</b>	
<b>INHALATION:</b>	Move into fresh air and keep at rest. If not breathing, give CPR or give oxygen by trained personnel. Get medical attention if any discomfort continues
<b>SKIN CONTACT:</b>	Take off immediately all contaminated clothing. Wash skin thoroughly with soap and water. If irritation persists get medical attention
<b>EYE CONTACT:</b>	Flush eyes thoroughly with water for at least 15 minutes. Remove any contact lenses. Get medical attention if any discomfort continues
<b>INGESTION:</b>	Rinse mouth thoroughly. Drink a few glasses of water or milk. Get medical attention if discomfort continues
<b>MOST IMPORTANT SYMPTOMS ACUTE AND DELAYED:</b>	Exposed may experience eye tearing, redness, and discomfort. Prolonged and/or repeated skin contact may result in mild irritation or redness. Vapours may cause drowsiness and dizziness. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting
<b>MEDICAL ATTENTION:</b>	Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen

### SECTION V – FIRE FIGHTING MEASURES

<b>GENERAL FIRE HAZARDS</b>	Extremely flammable aerosol-contents under pressure. Aerosol containers can explode when heated due to excessive pressure build-up. The product is extremely flammable, and explosive vapor/air mixtures may be formed even at normal room temperatures. Vapors are heavier than air and may travel along the ground to some distant source of ignition and flash back
-----------------------------	--

VALCO CINCINNATI CONSUMER PRODUCTS INC.  
SAFETY DATA SHEET  
MATERIAL NAME: HYLOMAR M AEROSOL 710XX362  
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053  
PRODUCT INFORMATION NO.: (513) 874-6550  
DATE ISSUED: MAY 2015

#### SECTION V – FIRE FIGHTING MEASURES (CONT)

<b>EXTINGUISHING MEDIA</b>	
<b>SUITABLE MEDIA</b>	Water spray, foam, dry powder or carbon dioxide
<b>UNSUITABLE MEDIA</b>	Do not use water jet as an extinguisher, as this will spread the fire
<b>SPECIAL HAZARDS</b>	Aerosol containers can explode when heated, due to excessive pressure build-up. By heating and fire, harmful vapors/gases may be formed
<b>SPECIAL PROTECTIVE EQUIPMENT</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace
<b>SPECIAL PROCEDURES</b>	Cool containers exposed to heat with water spray and remove container if no risk is involved. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply

#### SECTION VI – ACCIDENTAL RELEASE MEASURES

##### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

<b>NON-EMERGENCY PERSONNEL</b>	Keep upwind. Ventilate closed spaces before entering them. Avoid inhalation of vapors/spray and contact with skin and eyes. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unnecessary personnel away
<b>EMERGENCY RESPONDERS</b>	Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this safety data sheet
<b>ENVIRONMENTAL PRECAUTIONS</b>	Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or onto the ground
<b>CLEAN UP METHODS</b>	Eliminate all ignition sources. Ventilate the area. Wipe up with absorbent material (cloth, fleece). Transfer to a container for disposal. Following product recovery, Flush area with water
<b>REFERENCE TO OTHER SECTIONS</b>	For personal protection, see section 8. For waste disposal, see section 13

#### SECTION VII – HANDLING AND STORAGE

##### PRECAUTIONS FOR SAFE HANDLING:

Keep away from sources of ignition-No smoking. Use non-sparking tools and explosion-proof equipment. Vapors may form explosive mixtures with air. Use only outdoors or in a well-ventilated area. Avoid inhalation of vapors and spray mist. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8. Avoid prolonged exposure. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices

##### CONDITIONS FOR SAFE STORAGE:

Pressurized container: Must not be exposed to temperatures above 50°C or 122°F. Aerosol containers can explode when heated due to excessive pressure build-up. Keep away from heat, spark, open flames and other sources of ignition. Do not puncture, incinerate or crush. Avoid exposure to long periods of sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up

##### SPECIFIC USES:

Non-setting and non-hardening gasketing compound

VALCO CINCINNATI CONSUMER PRODUCTS INC.  
 SAFETY DATA SHEET  
 MATERIAL NAME: HYLOMAR M AEROSOL 710XX362  
 EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053  
 PRODUCT INFORMATION NO.: (513) 874-6550  
 DATE ISSUED: MAY 2015

**SECTION VIII – PERSONAL PROTECTION**

**CONTROL PARAMETERS  
 OCCUPATIONAL EXPOSURE LIMITS  
 UK.EH40 WORKPLACE EXPOSURE LIMITS (WELs)**

COMPONENTS	TYPE	VALUE
Acetone	TWA	1210 mg/m <sup>3</sup>
	STEL	1500 ppm
		3620 mg/m <sup>3</sup>
Dimethyl ether (115-10-6)	TWA	500 ppm
	TWA	400 ppm
	STEL	500 ppm
	TWA	766 mg/m <sup>3</sup>
	STEL	958 mg/m <sup>3</sup>

**EU. INDICATIVE EXPOSURE AND DIRECTIVES RELATING TO THE PROTECTION OF RISKS RELATED TO WORK EXPOSURE TO CHEMICAL, PHYSICAL AND BIOLOGICAL AGENTS.**

COMPONENTS	TYPE	VALUE
Acetone (67-64-1)	TWA	1210 mg/m <sup>3</sup>
		550 ppm
Dimethyl ether (115-10-6)	TWA	1000 ppm
		1920 mg/m <sup>3</sup>

**RECOMMENDED MONITORING:** Follow standard monitoring procedures

**DNEL** Not available

**PNEC** Not available

**EXPOSURE CONTROLS  
 ENGINEERING CONTROLS** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors

**PERSONAL PROTECTIVE EQUIPMENT  
 GENERAL INFORMATION**

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment

**EYE/FACE PROTECTION:** If eye contact is likely, safety glasses with side shields or chemical type goggles should be worn

**HAND PROTECTION:** Wear protective gloves. Butyl rubber gloves are recommended. Breakthrough time > 120 min. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier

**OTHER:** Normal work clothing (long sleeved shirts and long pants) is recommended

**RESPIRATORY PROTECTION:** In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment with gas filter (type A2). If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn

**THERMAL HAZARDS:** Not applicable

**HYGIENE MEASURES:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminant.

**ENVIRONMENTAL EXPOSURE:** Environmental manager must be informed of all major releases

**VALCO CINCINNATI CONSUMER PRODUCTS INC.**  
**SAFETY DATA SHEET**  
**MATERIAL NAME: HYLOMAR M AEROSOL 710XX362**  
**EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053**  
**PRODUCT INFORMATION NO.: (513) 874-6550**  
**DATE ISSUED: MAY 2015**

**SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES**

**INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Aerosol Blue thixotropic gel	PHYSICAL STATE	Liquid
FORM	Aerosol thixotropic gel	COLOR	Blue
ODOR	Sweet, Ethereal	ODOR THRESHOLD	Not Available
pH	Not Applicable	MELTING POINT	Not Available
FREEZING POINT	Not Available	BOILING POINT	Not Applicable
FLASH POINT	-41°C(-41.8°F) Closed Cup	AUTO IGNITION TEMP	Not Available
FLAMMABILITY (SOLID,GAS)	Not Applicable	OXIDIZING PROPERTIES	Not Available
FLAMMABILITY Limit –lower(%)	3.4	EXPLOSIVE PROPERTIES	Not Available
FLAMMABILITY Limit-upper (%)	57	EXPLOSIVE LIMIT	Not Available
VAPOR PRESSURE	185 (20°C/68°F)	EVAPORATION RATE	Not Applicable
RELATIVE DENSITY	1.03 (20°C/68°F)	SOLUBILITY(WATER)	Insoluble
PARTITION COEFFICIENT (n-octanol/water)	Not Available	DECOMPOSITION temperature	Not Available
VISCOSITY	Not Applicable	VOC(WEIGHT%) (Hylomar test method 1.1A Determination of Volatile Matter)	40-44
PERCENT VOLATILE	Not Available		
OTHER INFORMATION	No relevant additional information available		

**SECTION X – STABILITY AND REACTIVITY**

<b>REACTIVITY</b>	This product is stable and non reactive under normal conditions of use, storage and transport
<b>CHEMICAL STABILITY</b>	Risk of ignition. Material is stable under normal conditions
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	No dangerous reaction known under normal conditions of use
<b>CONDITIONS TO AVOID</b>	Heat, flames, sparks. Pressurized container. Must not be exposed to temperatures above 50°C (122°F). Protect against direct sunlight
<b>INCOMPATIBLE MATERIALS</b>	Strong oxidizing agents
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors

VALCO CINCINNATI CONSUMER PRODUCTS INC.  
 SAFETY DATA SHEET  
 MATERIAL NAME: HYLOMAR M AEROSOL 710XX362  
 EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053  
 PRODUCT INFORMATION NO.: (513) 874-6550  
 DATE ISSUED: MAY 2015

**SECTION XI – TOXICOLOGICAL INFORMATION**

**GENERAL INFORMATION** Occupational exposure to the substance or mixture may cause adverse effects

**ROUTES OF EXPOSURE**

**INGESTION** Ingestion may cause irritation and discomfort

**INHALATION** Vapors may cause drowsiness and dizziness. In high concentrations, vapors may be irritating to the respiratory system

**SKIN CONTACT** Prolonged or repeated skin contact may cause drying, cracking or irritation

**EYE CONTACT** Causes serious eye irritation

**SYMPTOMS** Exposed may experience eye tearing, redness, and discomfort. Prolonged and/or repeated skin contact may result in mild irritation or redness. Vapors may cause drowsiness and dizziness. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

**INFORMATION ON TOXICOLOGICAL EFFECTS**

**ACUTE TOXICITY** May cause discomfort if swallowed

**COMPONENTS**

**TEST RESULTS**

Dimethyl Ether (115-10-6)	Acute inhalation LC50 Rat: 308.5 mg/l 4 hours
Acetone (67-64-1)	Acute dermal LD50 Rabbit: 20000 ,g/kg
	Acute inhalation LC50 Rat: 50 mg/l 8 hours
	Acute oral LD50 Rat: 5800 mg/kg

**SKIN IRRITATION** Prolonged or repeated skin contact may cause drying, cracking or irritation

**EYE DAMAGE/IRRITATION** Causes serious eye irritation

**RESPIRATORY SENSITISATION** Not classified

**GERM CELL MUTAGENICITY** Not classified

**CARCINOGENICITY** Not classified

**REPRODUCTIVE TOXICITY** Not classified

**TARGET ORGAN TOXICITY SINGLE EXPOSURE** May cause drowsiness or dizziness. May cause damage to organs: Central Nervous System

**TARGET ORGAN TOXICITY REPEATED EXPOSURE** Not classified

**ASPIRATION HAZARD** Not classified

**MIXTURE VS SUBSTANCE INFORMATION** Not classified

**OTHER INFORMATION** No other specific acute or chronic health impact noted

VALCO CINCINNATI CONSUMER PRODUCTS INC.  
 SAFETY DATA SHEET  
 MATERIAL NAME: HYLOMAR M AEROSOL 710XX362  
 EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053  
 PRODUCT INFORMATION NO.: (513) 874-6550  
 DATE ISSUED: MAY 2015

**SECTION XII – ECOLOGICAL INFORMATION**

**TOXICITY**

COMPONENTS	TEST RESULTS
ACETONE (67-64-1)	LC50 Fathead minnow (Pimpephales promelas): >100 mg/l 96 hours
PERSISTENCE AND DEGRADABILITY	Not available
BIOACCUMULATIVE POTENTIAL	Not available
MOBILITY	The acetone component is miscible with water and may spread in water systems
ENVIRONMENTAL FATE PARTITION COEFFICIENT	Not available
MOBILITY IN SOIL	Not available
RESULTS OF PBT AND vPvB ASSESSMENT	Not a PBT or vPvB substance or mixture
OTHER ADVERSE EFFECTS	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**SECTION XIII – DISPOSAL**

**WASTE TREATMENT METHODS**

RESIDUAL WASTE	Do not discharge into rivers, lakes, mountains, etc. because the product may affect the environment
CONTAMINATED PACKAGING	Empty containers should be taken to an approved waste handling site for recycling or disposal
EU WASTE CODE	The waste code should be assigned in discussion between the user, the producer and the disposal company
DISPOSAL METHODS	Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations

**SECTION XIV - TRANSPORTATION**

**ADR**

UN Number	UN1950
UN PROPER SHIPPING NAME	AEROSOLS
Transport Hazard Class(es)	2.1
Subsidiary class(es)	-
Environmental Hazards	No
Labels Required	2.1
Special Precautions	Read safety instructions, SDS and emergency procedures before handling
Special Precautions	Read safety instructions, SDS and emergency procedures before handling
Environmental Hazards	No
Labels Required	2.1
Special Precautions	Read safety instructions, SDS and emergency procedures before handling



VALCO CINCINNATI CONSUMER PRODUCTS INC.  
SAFETY DATA SHEET  
MATERIAL NAME: HYLOMAR M AEROSOL 710XX362  
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053  
PRODUCT INFORMATION NO.: (513) 874-6550  
DATE ISSUED: MAY 2015

**SECTION XIV – TRANSPORTATION (CONT)**

**RID**

UN Number UN1950  
UN PROPER SHIPPING NAME AEROSOLS  
Transport Hazard Class(es) 2.1  
Subsidiary class(es) -  
Environmental Hazards No  
Labels Required 2.1

**ADN**

UN Number UN1950  
UN PROPER SHIPPING NAME AEROSOLS  
Transport Hazard Class(es) 2.1  
Subsidiary class(es) -

**IATA**

UN Number UN1950  
UN PROPER SHIPPING NAME AEROSOLS, FLAMMABLE  
Transport Hazard Class(es) 2.1  
Subsidiary class(es) -  
Environmental Hazards No  
Labels Required 2.1  
Special Precautions Read safety instructions, SDS and emergency procedures before handling

**IMDG**

UN Number UN1950  
UN PROPER SHIPPING NAME AEROSOLS  
Transport Hazard Class(es) 2.1  
Subsidiary class(es) -  
Marine Pollutant No  
Labels Required 2.1  
Special Precautions Read safety instructions, SDS and emergency procedures before handling  
Transport in bulk Not applicable  
Annex II of MARPOL 73/78  
and the IBC Code

**SECTION XV – REGULATORY INFORMATION**

**SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE**

**EU REGULATIONS**

Regulation (EC) No. 2037/2000 on substance that deplete the ozone layer, Annex I  
Not listed

Regulation (EC) No. 2037/2000 on substance that deplete the ozone layer, Annex II  
Not listed

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I  
Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, Part 1  
Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex 1, Part 2  
Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, Part 3  
Not listed

**VALCO CINCINNATI CONSUMER PRODUCTS INC.**  
**SAFETY DATA SHEET**  
**MATERIAL NAME: HYLOMAR M AEROSOL 710XX362**  
**EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053**  
**PRODUCT INFORMATION NO.: (513) 874-6550**  
**DATE ISSUED: MAY 2015**

**SECTION XV – REGULATORY INFORMATION (CONT)**

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V  
Not listed

Directive 96/61/EC concerning integrated pollution prevention and control (IPPC): Article 15, European  
Pollution Emission Registry (EPER)  
Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(1). Candidate List  
Not listed

**OTHER REGULATIONS** This product is classified and labeled in accordance with EC directives or  
respective national laws. This Safety Data Sheet complies with the requirements  
of Regulation (EC) No 1907/2006

**NATIONAL REGULATIONS** Not available

**CHEMICAL SAFETY ASSESSMENT**  
No Chemical Safety Assessment has been carried out.

**SECTION XVI – OTHER INFORMATION**

**LIST OF ABBREVIATIONS**

CLP: Regulation No. 1272/2008  
DNEL: Derived No-Effect Level  
PNEC: Predicted No-Effect Concentration

**REFERENCES** Not available

**INFORMATION ON EVALUATION METHOD LEADING TO THE CLASSIFICATION OF MIXTURE**

The mixture is classified based on test data for physical hazards. The classification  
for health and environmental hazards is derived by a combination of calculation  
methods and test data, if available. For details see Sections 9, 11 and 12

**FULL TEXT OF ANY STATEMENTS OR R-PHRASES AND H-PHRASES UNDER SECTIONS 2 TO 15**

R11	Highly flammable
R12	Extremely flammable
R36	Irritating to eyes
R66	Repeated exposure may cause skin dryness or cracking
R67	Vapors may cause drowsiness and dizziness
H220	Extremely flammable gas
H225	Highly flammable liquid and vapor
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H371	May cause damage to organs

**TRAINING INFORMATION**

Follow training instructions when handling this material

**SECTION XVII – DISCLAIMER**

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE; OBTAINED FROM  
SOURCES BELIEVED BY VALCO CINCINNATI, INC. TO BE ACCURATE. SINCE THE CONDITIONS AND METHODS  
OF USE OF OUR PRODUCT ARE BEYOND OUR CONTROL, WE DISCLAIM ANY AND ALL LIABILITY ARISING OUT  
OF THE IMPROPER USE OF THIS PRODUCT OR THE INFORMATION PROVIDED HEREWITH.