

VALCO CINCINNATI CONSUMER PRODUCTS INC.**SAFETY DATA SHEET****MATERIAL NAME:** VALCO HYLOMAR M**PART NUMBER(S):** 710XX255, 710XX260, 710XX362, 710XX522, 710XX966**EMERGENCY TELEPHONE NO.:** CALL INFOTRAC AT 1-800-535-5053**PRODUCT INFORMATION NO.:** (513) 874-6550**DATE ISSUED:** FEBRUARY 1, 2018**SECTION 1 – GENERAL INFORMATION****MANUFACTURER'S NAME:** HYLOMAR LTD**ADDRESS:** CALE LANE, WIGAN, ENGLAND**TRADE NAME & SYNONYMS:** HYLOMAR M**DESCRIPTION:** Non-Setting and Non-Hardening Gasketing Compound**SHELF LIFE:** 2 YEARS**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION****2.1. Classification of the substance or mixture**

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended**Classification** F;R11, Xi;R36, R66-67

The full text for all R-phrases is displayed in section 16.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Physical hazards

Flammable liquids	Category 2	H225 - Highly flammable liquid and vapour.
-------------------	------------	--

Health hazards

Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Specific target organ toxicity - single exposure	Category 3 narcotic effects	H336 - May cause drowsiness or dizziness.

Hazard summary

Physical hazards	Highly flammable.
Health hazards	Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.
Environmental hazards	Not classified for hazards to the environment.
Specific hazards	Highly flammable. Irritating to eyes. Dries out the skin.
Main symptoms	Irritation of eyes and mucous membranes. Exposed individuals may experience eye tearing, redness, and discomfort. Vapours may cause drowsiness and dizziness.

2.2. Label elements**Label according to Regulation (EC) No. 1272/2008 as amended****Hazard pictograms****Signal word**

Danger

Hazard statements

H225 - Highly flammable liquid and vapour.
 H319 - Causes serious eye irritation.
 H336 - May cause drowsiness or dizziness.

Precautionary statements**Prevention**

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

P312 - Call a POISON CENTRE or doctor/physician if you feel unwell.

Storage

P403 + P235 - Store in a well-ventilated place. Keep cool.
 P233 - Keep container tightly closed.

Disposal

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

None known.

VALCO CINCINNATI CONSUMER PRODUCTS INC.
SAFETY DATA SHEET
MATERIAL NAME: VALCO HYLOMAR M
PART NUMBER(S): 710XX255, 710XX260, 710XX362, 710XX522, 710XX966
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: FEBRUARY 1, 2018

SECTION 3 – INGREDIENTS

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Acetone	25 - 50	67-64-1 200-662-2	-	606-001-00-8	#
Classification:	DSD: F;R11, Xi;R36, R66-67				
	CLP: Flam. Liq. 2;H225, Eye Irrit. 2;H319, STOT SE 3;H336				

#: This substance has workplace exposure limit(s).
 CLP: Regulation No. 1272/2008.
 DSD: Directive 67/548/EEC.

Composition comments The full text for all R- and H-phrases is displayed in section 16. All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4 – FIRST AID MEASURES

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation Move into fresh air and keep at rest. If not breathing, give artificial respiration or give oxygen by trained personnel. Get medical attention if any discomfort continues.

Skin contact Take off immediately all contaminated clothing. Wash skin thoroughly with soap and water. If irritation persists get medical attention.

Eye contact Flush eyes thoroughly with water for at least 15 minutes. Remove any contact lenses. Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly. Drink a few glasses of water or milk. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed Irritation of eyes and mucous membranes. Exposed individuals may experience eye tearing, redness, and discomfort. Vapours may cause drowsiness and dizziness.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically.

SECTION 5 – FIREFIGHTING MEASURES

General fire hazards The product is highly flammable, and explosive vapour/air mixtures may be formed even at normal room temperatures. Vapours are heavier than air and may travel along the ground to some distant source of ignition and flash back.

5.1. Extinguishing media

Suitable extinguishing media Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture By heating and fire, harmful vapours/gases may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Special fire fighting procedures Cool containers exposed to heat with water spray and remove container, if no risk is involved. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep upwind. Ventilate closed spaces before entering them. Avoid inhalation of vapours/spray and contact with skin and eyes. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

SAFETY DATA SHEET

MATERIAL NAME: VALCO HYLOMAR M

PART NUMBER(S): 710XX255, 710XX260, 710XX362, 710XX522, 710XX966

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.: (513) 874-6550

DATE ISSUED: FEBRUARY 1, 2018

SECTION 6 – ACCIDENTAL RELEASE MEASURES (CONT)

- For emergency responders** Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this safety data sheet.
- 6.2. Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or onto the ground.
- 6.3. Methods and material for containment and cleaning up** Eliminate all ignition sources. Ventilate the area. Wipe up with absorbent material (e.g. cloth, fleece). Transfer to a container for disposal. Following product recovery, flush area with water.
- 6.4. Reference to other sections** For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7 – HANDLING AND STORAGE

- 7.1. Precautions for safe handling** Keep away from sources of ignition - No smoking. Use only outdoors or in a well-ventilated area. Avoid inhalation of vapours/spray and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid prolonged exposure. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. Avoid release to the environment.
- 7.2. Conditions for safe storage, including any incompatibilities** Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, spark, open flames and other sources of ignition. Store away from incompatible materials.
- 7.3. Specific end use(s)** Non-Setting and Non-Hardening Gasketing Compound.

SECTION 8 – PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value
Acetone (CAS 67-64-1)	STEL	3620 mg/m3
		1500 ppm
	TWA	1210 mg/m3
		500 ppm

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU

Components	Type	Value
Acetone (CAS 67-64-1)	TWA	1210 mg/m3
		500 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no-effect level (DNEL) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours.

Individual protection measures, such as personal protective equipment

General information Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection If eye contact is likely, safety glasses with side shields or chemical type goggles should be worn.

Skin protection

- Hand protection

Wear protective gloves. Butyl rubber gloves are recommended. Breakthrough time >120 min. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.

SAFETY DATA SHEET**MATERIAL NAME:** VALCO HYLOMAR M**PART NUMBER(S):** 710XX255, 710XX260, 710XX362, 710XX522, 710XX966**EMERGENCY TELEPHONE NO.:** CALL INFOTRAC AT 1-800-535-5053**PRODUCT INFORMATION NO.:** (513) 874-6550**DATE ISSUED:** FEBRUARY 1, 2018**SECTION 8 – PERSONAL PROTECTION (CONT)**

- Other	Normal work clothing (long sleeved shirts and long pants) is recommended.
Respiratory protection	In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment with gas filter (type A2). If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Thermal hazards	Not applicable.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Environmental exposure controls	Environmental manager must be informed of all major releases.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

Appearance	Blue thixotropic gel.
Physical state	Liquid.
Form	Thixotropic gel.
Colour	Blue.
Odour	Sweet. Ethereal.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable.
Flash point	-17.0 °C (1.4 °F) Closed cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	4
Flammability limit - upper (%)	57
Vapour pressure	185 (20 °C/68 °F)
Vapour density	2 (Air = 1) (20 °C/68 °F)
Relative density	Light grade: 0.95 (20 °C/68 °F) Medium grade: 1.03 (20 °C/68 °F) Heavy grade: 1.10 (20 °C/68 °F)
Solubility(ies)	Slightly miscible.
Partition coefficient (n-octanol/water)	No data available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not applicable.
Explosive properties	Not available.
Oxidizing properties	Not available.
9.2. Other information	
Explosive limit	Not available.
VOC (Weight %)	25 - 50 (Hylomar Test Method 1.1A Determination of Volatile Matter)

SAFETY DATA SHEET**MATERIAL NAME:** VALCO HYLOMAR M**PART NUMBER(S):** 710XX255, 710XX260, 710XX362, 710XX522, 710XX966**EMERGENCY TELEPHONE NO.:** CALL INFOTRAC AT 1-800-535-5053**PRODUCT INFORMATION NO.:** (513) 874-6550**DATE ISSUED:** FEBRUARY 1, 2018**SECTION 10 – STABILITY AND REACTIVITY**

REACTIVITY	The product is stable and non reactive under normal conditions of use, storage and transport.
CHEMICAL STABILITY	Risk of ignition. Material is stable under normal conditions.
POSSIBILITY OF HAZARDOUS REACTIONS	No dangerous reaction known under conditions of normal use.
CONDITIONS TO AVOID	Heat, flames and sparks. Avoid temperatures exceeding the flash point.
INCOMPATIBLE MATERIALS	Strong oxidizing agents
HAZARDOUS DECOMPOSITION	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

SECTION 11 – TOXICOLOGICAL INFORMATION

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Ingestion Ingestion may cause irritation and malaise.

Inhalation Vapours may cause drowsiness and dizziness. In high concentrations, vapours may be irritating to the respiratory system.

Skin contact Prolonged or repeated skin contact may cause drying, cracking, or irritation.

Eye contact Causes serious eye irritation.

Symptoms Irritation of eyes and mucous membranes. Exposed individuals may experience eye tearing, redness, and discomfort. Vapours may cause drowsiness and dizziness.

11.1. Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components	Species	Test results
Acetone (CAS 67-64-1)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	20 ml/kg
<i>Inhalation</i>		
LC50	Rat	50 mg/l, 8 Hours
<i>Oral</i>		
LD50	Rat	5800 mg/kg
Skin corrosion/irritation	Prolonged or repeated skin contact may cause drying, cracking, or irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory sensitisation	Not classified.	
Skin sensitisation	Not classified.	
Germ cell mutagenicity	Not classified.	
Carcinogenicity	Not classified.	
Reproductive toxicity	Not classified.	
Specific target organ toxicity - single exposure	May cause drowsiness or dizziness.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not classified.	
Mixture versus substance information	Not applicable.	
Other information	No other specific acute or chronic health impact noted.	

SAFETY DATA SHEET**MATERIAL NAME:** VALCO HYLOMAR M**PART NUMBER(S):** 710XX255, 710XX260, 710XX362, 710XX522, 710XX966**EMERGENCY TELEPHONE NO.:** CALL INFOTRAC AT 1-800-535-5053**PRODUCT INFORMATION NO.:** (513) 874-6550**DATE ISSUED:** FEBRUARY 1, 2018**SECTION 12 – ECOLOGICAL INFORMATION**

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test results
Acetone (CAS 67-64-1)		
Aquatic		
Fish	LC50	Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours
		Rainbow trout, donaldson trout (Oncorhynchus mykiss) 4740 - 6330 mg/l, 96 hours

12.2. Persistence and degradability No data available.

12.3. Bioaccumulative potential No data available.

Partition coefficient No data available.

n-octanol/water (log Kow)

Acetone (CAS 67-64-1) -0.24

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

Mobility in general The acetone component is miscible with water and may spread in water systems.

12.5. Results of PBT and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13 – DISPOSAL**13.1. Waste treatment methods**

Residual waste Do not discharge into rivers, lakes, mountains, etc. because the product may affect the environment.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

EU waste code 16 03 05*
The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose of in accordance with local regulations.

SECTION 14 - TRANSPORTATION**ADR**

14.1. UN number UN1133
14.2. UN proper shipping name Adhesives

14.3. Transport hazard class(es)

Class 3
Subsidiary risk -
Label(s) 3
Hazard No. (ADR) 33
Tunnel restriction code D/E

14.4. Packing group II

14.5. Environmental hazards No.

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

RID

14.1. UN number UN1133
14.2. UN proper shipping name Adhesives

SAFETY DATA SHEET**MATERIAL NAME:** VALCO HYLOMAR M**PART NUMBER(S):** 710XX255, 710XX260, 710XX362, 710XX522, 710XX966**EMERGENCY TELEPHONE NO.:** CALL INFOTRAC AT 1-800-535-5053**PRODUCT INFORMATION NO.:** (513) 874-6550**DATE ISSUED:** FEBRUARY 1, 2018**SECTION 14 – TRANSPORTATION (CONT)****14.3. Transport hazard class(es)**

Class 3

Subsidiary risk -

Label(s) 3

14.4. Packing group II**14.5. Environmental hazards** No.**14.6. Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.**ADN****14.1. UN number** UN1133**14.2. UN proper shipping name** Adhesives**14.3. Transport hazard class(es)**

Class 3

Subsidiary risk -

Label(s) 3

14.4. Packing group II**14.5. Environmental hazards** No.**14.6. Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.**IATA****14.1. UN number** UN1133**14.2. UN proper shipping name** Adhesives**14.3. Transport hazard class(es)**

Class 3

Subsidiary risk -

Label(s) 3

14.4. Packing group II**14.5. Environmental hazards** No.**ERG Code** 3L**14.6. Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.**IMDG****14.1. UN number** UN1133**14.2. UN proper shipping name** ADHESIVES**14.3. Transport hazard class(es)**

Class 3

Subsidiary risk -

Label(s) 3

14.4. Packing group II**14.5. Environmental hazards**

Marine pollutant No.

EmS F-E, S-D**14.6. Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.**SECTION 15 – REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

SAFETY DATA SHEET

MATERIAL NAME: VALCO HYLOMAR M

PART NUMBER(S): 710XX255, 710XX260, 710XX362, 710XX522, 710XX966

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.: (513) 874-6550

DATE ISSUED: FEBRUARY 1, 2018

SECTION 15 – REGULATORY INFORMATION (CONT)

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Acetone (CAS 67-64-1)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not listed.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Acetone (CAS 67-64-1)

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended and respective national laws implementing EC directives.

National regulations

Follow national regulation for work with chemical agents.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16 – OTHER INFORMATION

List of abbreviations

DNEL: Derived No-Effect Level.
PNEC: Predicted No-Effect Concentration.
LD50: Lethal Dose, 50%.
LC50: Lethal Concentration, 50%.
CLP: Regulation No. 1272/2008.
DSD: Directive 67/548/EEC.

References

Not available.

Information on evaluation method leading to the classification of mixture

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

R11 Highly flammable.
R36 Irritating to eyes.
R66 Repeated exposure may cause skin dryness or cracking.
R67 Vapours may cause drowsiness and dizziness.
H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Training information

Follow training instructions when handling this material.

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE; OBTAINED FROM SOURCES BELIEVED BY VALCO CINCINNATI, INC. TO BE ACCURATE. SINCE THE CONDITIONS AND METHODS OF USE OF OUR PRODUCT ARE BEYOND OUR CONTROL, WE DISCLAIM ANY AND ALL LIABILITY ARISING OUT OF THE IMPROPER USE OF THIS PRODUCT OR THE INFORMATION PROVIDED HERE WITH.