

VALCO CINCINNATI CONSUMER PRODUCTS INC.
ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246
SAFETY DATA SHEET
MATERIAL NAME: ENGINE ASSEMBLY LUBE
PART NUMBER(S): 710XX751, 710XX752, 710XX753, CP6165 (GALLON)
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: AUGUST 2015

SECTION I – GENERAL INFORMATION

MANUFACTURER'S NAME: TORCO INTERNATIONAL CORP.
TRADE NAME & SYNONYMS: ENGINE ASSEMBLY LUBE
SHELF LIFE: 2 YEARS

SECTION II – HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not Classified

2.2. Label elements

Using the Toxicity Data listed in section 11 & 12 the product is labeled as follows:

P273 Avoid release to the environment.

P501 Dispose of contents / container in accordance with local / national regulations.

HMIS	Health:	0	NFPA	Health:	0
	Fire:	1		Fire:	1
	Physical Hazards:	0		Reactivity:	0
	PPE:	C		Special Hazards:	---

2.3 Other hazards

This product contains no PBT/vPvB chemicals.

SECTION III – COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient/Chemical Designations	CAS Number	Weight %	EC No. 1272/2008 / GHS Classification
Residual oil (petroleum), solvent refined	0064742-01-4	<60	Not Classified
Polybutene	0009003-29-6	<10	Not Classified
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	0068649-42-3	<3	Not Classified
Petroleum distillates, hydrotreated light naphthenic	0064742-53-6	<1	Not Classified
Distillate (petroleum) hydrotreated heavy naphthenic	0064742-52-5	<1	Not Classified
Petroleum distillates, hydrotreated heavy paraffin	0064742-54-7	<1	Not Classified

The full texts of the phrases are shown in Section XVI

SECTION IV – FIRST AID MEASURES

4.1. Description of first aid measures

General

In all cases of doubt, or when systems persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation

If inhaled, remove person to fresh air and keep comfortable for breathing. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. If unconscious, place in the recovery position and seek medical attention immediately.

Skin

In case of contact, immediately rinse skin with plenty of water. Remove contaminated clothing and shoes. If skin irritation occurs, seek medical attention. Launder contaminated clothing before reuse.

VALCO CINCINNATI CONSUMER PRODUCTS INC.
ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246
SAFETY DATA SHEET
MATERIAL NAME: ENGINE ASSEMBLY LUBE
PART NUMBER(S): 710XX751, 710XX752, 710XX753, CP6165 (GALLON)
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: AUGUST 2015

SECTION IV – FIRST AID MEASURES (CONT)

Eye

In case of contact, immediately rinse eyes with plenty of fresh, clean water for at least 15 minutes. Remove contact lenses if present and continue rinsing. Seek medical attention immediately.

Ingestion

Do not induce vomiting. Call a physician or emergency medical facility immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION V – FIRE FIGHTING MEASURES

5.1. Extinguishing media

Use Carbon dioxide (CO₂), dry chemical, or foam to extinguish flames.

5.2. Special hazards arising from the substance or mixture

Hazardous Decomposition Products: May form CO and CO₂.

5.3. Advice for fire fighters

Self-contained full face positive pressure breathing apparatus (SCBA) should be used. Water can be used to cool and protect exposed material. Do not allow runoff water and contaminants from fire fighting to enter drains or water courses.

SECTION VI – ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with spilled material. Use suitable personal protective equipment. Ventilate area if spilled in confined space or other poorly ventilated areas. Evacuate personnel to safe areas. Keep unnecessary personnel away.

6.2. Environmental precautions

Prevent entry into sewers and waterways. Report spills as required to appropriate authorities in accordance with all applicable regulations.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13)

Clean, preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or water courses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes, the Environmental Protection Agency should also be informed.

Dispose of in accordance with all federal, state and local environmental regulations.

VALCO CINCINNATI CONSUMER PRODUCTS INC.
ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246
SAFETY DATA SHEET
MATERIAL NAME: ENGINE ASSEMBLY LUBE
PART NUMBER(S): 710XX751, 710XX752, 710XX753, CP6165 (GALLON)
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: AUGUST 2015

SECTION VII – HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing vapor. Use with adequate ventilation.

In Storage

Store in a dry location at room temperature.

Keep this container and vapors from the container away from heat and flame. Keep container closed and maintain all original markings and labels.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from strong oxidizing and reducing agents.

CAUTION!!! Do not use cutting or welding torches on drums, even when empty. Do not reuse container. Containers, even those that have been emptied, will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full.

7.3. Specific end use(s)

There are no exposure scenarios, see details in section 1.

SECTION VIII – EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

The following occupational exposure limits have been established.

CAS Number	Ingredient	Source	Value
0009003-29-6	Polybutene	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0064742-01-4	Residual oil (petroleum), solvent refined	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0064742-52-5	Distillate (petroleum) hydrotreated heavy naphthenic	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0064742-53-6	Petroleum distillates, hydrotreated light naphthenic	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0064742-54-7	Petroleum distillates, hydrotreated heavy paraffin	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0068649-42-3	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m3 OSHA PEL and 10 mg/m3 ACGIH.

VALCO CINCINNATI CONSUMER PRODUCTS INC.
ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246
SAFETY DATA SHEET
MATERIAL NAME: ENGINE ASSEMBLY LUBE
PART NUMBER(S): 710XX751, 710XX752, 710XX753, CP6165 (GALLON)
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: AUGUST 2015

SECTION VIII – EXPOSURE CONTROLS / PERSONAL PROTECTION (CONT)

Carcinogen Data			
CAS Number	Ingredient	Source	Value
0009003-29-6	Polybutene	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No
0064742-01-4	Residual oil (petroleum), solvent refined	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No
0064742-52-5	Distillate (petroleum) hydrotreated heavy naphthenic	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No
0064742-53-6	Petroleum distillates, hydrotreated light naphthenic	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No
0064742-54-7	Petroleum distillates, hydrotreated heavy paraffin	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No
0068649-42-3	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No

DNEL/PNEC values
 No Data Available

8.2. Exposure controls
 No special requirements under ordinary conditions of use and with adequate ventilation.

Eye/face protection
 Wear safety glasses. If potential for splash or mist exists, wear chemical goggles or face shield.

Skin protection
 Wear chemical resistant gloves. Gloves should be inspected before each use and discarded if they show tears, pinholes, or signs of wear.

Other
 Gloves, overalls, apron, boots, or other suitable protective garments should be worn to minimize contact based on the task being performed.

Respiratory protection
 Use NIOSH/OSHA approved respirator where high vapor concentrations are present.

Thermal hazards
 No Data Available

SECTION IX – PHYSICAL & CHEMICAL PROPERTIES

Appearance	RED OILY LIQUID
Odor	Petroleum Odor
Odor threshold	Not determined
pH	Not measured
Melting point/freezing point (°C)	Not determined
Initial boiling point and boiling range (°C)	Not measured
Flash Point (°C)	>200
Evaporation rate (H2O = 1)	Not determined

VALCO CINCINNATI CONSUMER PRODUCTS INC.
ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246
SAFETY DATA SHEET
MATERIAL NAME: ENGINE ASSEMBLY LUBE
PART NUMBER(S): 710XX751, 710XX752, 710XX753, CP6165 (GALLON)
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: AUGUST 2015

SECTION IX – PHYSICAL & CHEMICAL PROPERTIES (CONT)

Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits	
Lower Explosive Limit:	Not determined
Upper Explosive Limit:	Not determined
Vapor pressure (Pa)	Not determined
Vapor density	Heavier than air
Relative density	0.8875
Solubility(ies)	negligible
Partition coefficient n-octanol/water (Log Kow)	Not determined
Auto-ignition temperature (°C)	Not determined
Decomposition temperature	Not determined
Viscosity (cSt)	
@ 100°C	Not measured
@ 40°C	Not measured
Pour point temperature (°C)	Not determined
Volatile Organic Compounds	Nil
SADT	Not determined

The data listed above are typical physical and chemical properties that do not constitute product specification.

9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

SECTION X – STABILITY AND REACTIVITY

10.1. Reactivity

No data available

10.2. Chemical stability

Material is normally stable at ambient temperature and pressure.

10.3. Possibility of hazardous reactions

May react with: oxidizing agents.

10.4. Conditions to avoid

High temperature, sparks, and open flames.

10.5. Incompatible materials

Keep away from strong oxidizing and reducing agents.

10.6. Hazardous decomposition products

Hazardous Decomposition Products: May form CO and CO₂.

VALCO CINCINNATI CONSUMER PRODUCTS INC.
ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246
SAFETY DATA SHEET
MATERIAL NAME: ENGINE ASSEMBLY LUBE
PART NUMBER(S): 710XX751, 710XX752, 710XX753, CP6165 (GALLON)
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: AUGUST 2015

SECTION XI – TOXICOLOGICAL INFORMATION

Acute toxicity

The preparation has been assessed using the Acute Toxicity Data listed below, and classified for toxicological hazards accordingly. See section 2 for details.

Ingredient	CAS Number	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr
Distillate (petroleum) hydrotreated heavy naphthenic	0064742-52-5	>5,000, Rat	5,000.00, Rabbit	Not Available

Petroleum distillates, hydrotreated heavy paraffin	0064742-54-7	>5,000, Rat	>5,000, Rabbit	Not Available
Petroleum distillates, hydrotreated light naphthenic	0064742-53-6	>5,000, Rat	Not Available	Not Available
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	0068649-42-3	>2,000, Rat	>2,000, Rabbit	5.00, Rat
Polybutene	0009003-29-6	34,600, Rat	10,250, Rabbit	Not Available
Residual oil (petroleum), solvent refined	0064742-01-4	Not Available	Not Available	Not Available

Classification	Category	Hazard Description
Acute Toxicity (oral)	Not classified	Not applicable
Acute Toxicity (dermal)	Not classified	Not applicable
Acute Toxicity (inhalation)	Not classified	Not applicable
Skin corrosion/irritation	Not classified	Not applicable
Serious eye damage/irritation	Not classified	Not applicable
Respiratory sensitization	Not classified	Not applicable
Skin sensitization	Not classified	Not applicable
Germ cell mutagenicity	Not classified	Not applicable
Carcinogenicity	Not classified	Not applicable
Reproductive toxicity	Not classified	Not applicable
STOT - single exposure	Not classified	Not applicable
STOT - repeated exposure	Not classified	Not applicable
Aspiration hazard	Not classified	Not applicable

SECTION XII – ECOLOGICAL INFORMATION

12.1 Toxicity

The preparation has been assessed following the conventional method of Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

VALCO CINCINNATI CONSUMER PRODUCTS INC.
ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246
SAFETY DATA SHEET
MATERIAL NAME: ENGINE ASSEMBLY LUBE
PART NUMBER(S): 710XX751, 710XX752, 710XX753, CP6165 (GALLON)
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: AUGUST 2015

SECTION XII – ECOLOGICAL INFORMATION (CONT)

Aquatic Ecotoxicity

Ingredient	CAS Number	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErF50 algae, mg/l
Residual oil (petroleum), solvent refined	0064742-01-4	Not Available	Not Available	Not Available
Polybutene	0009003-29-6	Not Available	Not Available	Not Available
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	0068649-42-3	Not Available	Not Available	Not Available
Petroleum distillates, hydrotreated light naphthenic	0064742-53-6	Not Available	Not Available	Not Available
Distillate (petroleum) hydrotreated heavy naphthenic	0064742-52-5	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00 (96 hr), Scenedesmus subspicatus
Petroleum distillates, hydrotreated heavy paraffin	0064742-54-7	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not measured

12.4. Mobility in soil

No data available

12.5. Result of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available

SECTION XIII - DISPOSAL

13.1 Waste treatment methods

Consult federal, state, and local regulations regarding disposal methods. Recycle used oil. Do not contaminate used oil with solvents or other chemicals.

SECTION XIV - TRANSPORTATION

14.1. UN number Not applicable

14.2. UN proper shipping name Not regulated

14.3. Transport hazard classes

US DOT Label Not regulated

VALCO CINCINNATI CONSUMER PRODUCTS INC.
ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246
SAFETY DATA SHEET
MATERIAL NAME: ENGINE ASSEMBLY LUBE
PART NUMBER(S): 710XX751, 710XX752, 710XX753, CP6165 (GALLON)
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: AUGUST 2015

SECTION XIV – TRANSPORTATION (CONT)

ADR/RID	Not regulated
IMDG	Not regulated
Sub Class	Not applicable
14.4. Packing group	Not applicable
14.5. Environmental hazards	
ADR/RID	Environmentally Hazardous: No – Not regulated
IMDG	Marine Pollutant: No – Not regulated
14.6. Special precautions for user	No further information
14.7. Transportation in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not Applicable

SECTION XV – REGULATORY INFORMATION

National Legislation

United States:

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

SARA 311/312 (>0.1%): Not applicable

SARA 313 (>0.1%):
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts

CERCLA (>0.1%): Not applicable

Inventory - Canada - Non-Domestic Not applicable

Substances List (NDSL):

Phosphonic acid, diisooctyl ester

California Proposition 65 Cancer: Not applicable

California Proposition 65 Not applicable

Developmental:

California Proposition 65 Female Not applicable
Reproductive:

California Proposition 65 Male Not applicable
Reproductive:

Inventory - Australia - Inventory of
Chemical Substances (AICS):

VALCO CINCINNATI CONSUMER PRODUCTS INC.
ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246
SAFETY DATA SHEET
MATERIAL NAME: ENGINE ASSEMBLY LUBE
PART NUMBER(S): 710XX751, 710XX752, 710XX753, CP6165 (GALLON)
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: AUGUST 2015

SECTION XV – REGULATORY INFORMATION (CONT)

Amines, N-tallow alkyltrimethylenedi-
Di(2-ethylhexyl) phosphate
Calcium Sulfonate
Distillate (petroleum) hydrotreated heavy naphthenic
Petroleum distillates, hydrotreated heavy paraffin
Petroleum distillates, hydrotreated light naphthenic
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts
Polybutene
Residual oils (petroleum), solvent refined

Inventory - Japan Existing and New

Chemical Substances (ENCS):

Di(2-ethylhexyl) phosphate (2-1986)
Distillate (petroleum) hydrotreated heavy naphthenic ()
Petroleum distillates, hydrotreated heavy paraffin ()
Petroleum distillates, hydrotreated light naphthenic ()
Phosphonic acid, diisooctyl ester (2-2001)
Polybutene (6-774)
Residual oils (petroleum), solvent refined ()

Korean Existing Chemicals

Inventory:

Di(2-ethylhexyl) phosphate
Distillate (petroleum) hydrotreated heavy naphthenic
Petroleum distillates, hydrotreated heavy paraffin
Petroleum distillates, hydrotreated light naphthenic
Phosphonic acid, diisooctyl ester
Polybutene
Residual oils (petroleum), solvent refined

Inventory of Existing Chemical

Substances in China:

Calcium Sulfonate
Petroleum distillates, hydrotreated heavy paraffin
Petroleum distillates, hydrotreated light naphthenic
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts
Polybutene
Residual oils (petroleum), solvent refined

Philippines Inventory of Chemicals

and Chemical Substances (PICCS):

Amines, N-tallow alkyltrimethylenedi-
Di(2-ethylhexyl) phosphate
Calcium Sulfonate
Distillate (petroleum) hydrotreated heavy naphthenic

VALCO CINCINNATI CONSUMER PRODUCTS INC.
ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246
SAFETY DATA SHEET
MATERIAL NAME: ENGINE ASSEMBLY LUBE
PART NUMBER(S): 710XX751, 710XX752, 710XX753, CP6165 (GALLON)
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: AUGUST 2015

SECTION XV – REGULATORY INFORMATION (CONT)

Petroleum distillates, hydrotreated heavy paraffin
Petroleum distillates, hydrotreated light naphthenic
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts
Polybutene
Residual oils (petroleum), solvent refined

Taiwan List of Toxic Chemical Substances regulated under Toxic Chemical Substances Control Act : Not applicable

EU REACH: Annex XVII, Dangerous Substances and Preparations:

Distillate (petroleum) hydrotreated heavy naphthenic
Petroleum distillates, hydrotreated heavy paraffin
Petroleum distillates, hydrotreated light naphthenic
Residual oils (petroleum), solvent refined

Inventory - European Union - European Inventory of Existing Commercial Chemical Substances (EINECS):

Amines, N-tallow alkyltrimethylenedi- (263-189-0)
Di(2-ethylhexyl) phosphate (206-056-4)
Calcium Sulfonate ()
Distillate (petroleum) hydrotreated heavy naphthenic (265-155-0)
Petroleum distillates, hydrotreated heavy paraffin (265-157-1)
Petroleum distillates, hydrotreated light naphthenic (265-156-6)
Phosphonic acid, diisooctyl ester (252-873-4)
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (272-028-3)
Polybutene ()
Residual oils (petroleum), solvent refined (265-101-6)

EU List of Notified Chemical Substances (ELINCS): Not applicable

Substances (ELINCS):

Risk Phrases:

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION XVI – OTHER INFORMATION

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE; OBTAINED FROM SOURCES BELIEVED BY VALCO CINCINNATI, INC. TO BE ACCURATE. SINCE THE CONDITIONS AND METHODS OF USE OF OUR PRODUCT ARE BEYOND OUR CONTROL, WE DISCLAIM ANY AND ALL LIABILITY ARISING OUT OF THE IMPROPER USE OF THIS PRODUCT OR THE INFORMATION PROVIDED HEREWITH.