

VALCO CINCINNATI CONSUMER PRODUCTS INC.
MATERIAL SAFETY DATA SHEET
MATERIAL NAME: VALCO SOLVENT 184
PART NUMBER(S): 710XX265, 710XX269
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: FEBRUARY 1, 2018

SECTION 1 – GENERAL INFORMATION

MANUFACTURER’S NAME: VALCO CINCINNATI, INCORPORATED
ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OHIO 45246
TRADE NAMES & SYNONYMS: SOLVENT 184, TRICHLOROETHYLENE SOLVENT
RECOMMENDED USE(S): Cleaning solvent for sealants and adhesives

SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Emergency Overview: Aspiration hazard.
 Carcinogen, Irritant, Mutagen.
 May cause respiratory and digestive tract irritation.
 May cause cancer based on animal studies.
Target Organs: Central nervous system, liver, heart, lungs.

GHS Classification:	Category
Skin irritation	2
Eye irritation	2A
Skin Sens.	1
Germ cell mutagenicity	2
Carcinogenicity	1B
STOT - single exposure	2
Chronic aquatic toxicity	3

GHS Label elements:

Pictograms:



Signal Word:

Danger

Hazard Statements:	Code	Description
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H319	Causes serious eye irritation.
	H336	May cause drowsiness or dizziness.
	H341	Suspected of causing genetic defects.
	H350	May cause cancer.
	H412	Harmful to aquatic life with long lasting effects.

VALCO CINCINNATI CONSUMER PRODUCTS INC.
MATERIAL SAFETY DATA SHEET
MATERIAL NAME: VALCO SOLVENT 184
PART NUMBER(S): 710XX265, 710XX269
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: FEBRUARY 1, 2018

SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (CONT)

Precautionary Statements:	Code	Description
	P201	Obtain special instructions before use.
	P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/clothing and eye/face protection
	P302, P352	IF ON SKIN: Wash with plenty of soap and water.
	P202	Do not handle until all safety precautions have been read and understood
	P271	Use only outdoors or in a well-ventilated area.
	P272	Contaminated work clothing should not be allowed out of the workplace
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305, P351, P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Other classifications:

NFPA Rating:

Health: 2
 Fire: 1
 Reactivity: 0

HMIS:

Health: 2
 Flammability: 0
 Physical: 0

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Index No	Concentration	EC-No
Trichloroethylene	79-01-6	602-027-00-9	-	201-167-4

SECTION 4 – FIRST AID

Inhalation:	Move the exposed person to fresh air at once. Perform artificial respiration if breathing has stopped. If breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if any discomfort continues.
Ingestion:	DO NOT INDUCE VOMITING! Drink plenty of water. Do not give victim anything to drink if he is unconscious. Get medical attention immediately!
Skin Contact:	Remove contaminated clothes and rinse skin thoroughly with water. Get medical attention if any discomfort continues.
Eye Contact:	Promptly wash eyes with plenty of water while lifting the eye lids. Make sure to remove any contact lenses from the eyes before rinsing. Continue to rinse for at least 15 min. Get medical attention if any discomfort continues.
NOTE TO PHYSICIAN:	Treat symptomatically and supportively.

VALCO CINCINNATI CONSUMER PRODUCTS INC.
MATERIAL SAFETY DATA SHEET
MATERIAL NAME: VALCO SOLVENT 184
PART NUMBER(S): 710XX265, 710XX269
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: FEBRUARY 1, 2018

SECTION 5 – FIRE FIGHTING MEASURES

Conditions of flammability: Not flammable or combustible.
Extinguishing Media: Extinguish with foam, carbon dioxide, dry powder or water fog.
 Do not use water jet as an extinguisher, as this will spread the fire.
Special protective equip.: Wear a self-contained breathing apparatus MSHA/NIOSH (approved or equivalent), and full protective gear.
Hazardous combustion products: Hydrogen chloride, Chlorine, Phosgene, Carbon monoxide, Carbon Dioxide.
Special Information: Vapors can travel to a source of ignition and back.
 Containers may explode in the heat of a fire.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear personal protection equipment.
 Evacuate surrounding areas.
Emergency procedures: Remove all sources of ignition.
 Provide ventilation.
Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
 Discharge into the environment must be avoided.
Methods of containment/cleanup: Absorb spill with inert material, (e.g., vermiculite, dry sand or earth), then place into a chemical waste container.

SECTION 7 – HANDLING AND STORAGE

Handling: Do not use in confined spaces without adequate ventilation and/or respirator.
 Do not eat, drink or smoke when using product. Do not ingest.
 Eliminate all sources of ignition.
 Handle product only in closed system or provide adequate exhaust ventilation at machinery
 Avoid inhalation of vapors/spray and contact with skin and eyes.
 Container must be kept tightly closed.
 Provide good ventilation.
Storage: Keep away from heat, sparks, open flame, direct sunlight.
 Store in tightly closed original container in a dry, cool and well-ventilated place.
 Do NOT use storage tank made of: Aluminum, aluminum alloy, or zinc
 May attack some plastics, rubber and coatings.

SECTION 8- PERSONAL PROTECTION

Exposure Limits:	Regulator:	Test:	Allowance:
	Workplace Exposure Limit (WEL)	STEL	150 ppm 820 mg/m ³
	Workplace Exposure Limit (WEL)	TWA	100 ppm 550 mg/m ³

Engineering Controls: Use adequate ventilation to keep airborne concentrations low.
 An emergency eye wash/shower must be readily accessible to the work area.

Personal Protective Equipment:

Personal Respirators: Follow the OSHA respirator regulations found in 29CFR 1910.134 or European Standard EN 149.
 Always use a NIOSH or European Standard EN 149 approved respirator when necessary.

Skin Protection: Wear appropriate protective gloves and clothing to prevent skin exposure.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

VALCO CINCINNATI CONSUMER PRODUCTS INC.
MATERIAL SAFETY DATA SHEET
MATERIAL NAME: VALCO SOLVENT 184
PART NUMBER(S): 710XX265, 710XX269
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: FEBRUARY 1, 2018

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance
 Physical State: Liquid
 Color: Clear, colorless
Odor: Chlorinated hydrocarbons
 Odor Perception Threshold: No data available
 pH: No data available
Specific Temperatures:
 Freezing/Melting Point: -84.8°C -121°F
 Boiling Point: 87.760 mmHg
 Decomposition temperature: No data available.
Flammability Characteristics:
 Flash Point: Does Not Flash
 Auto-ignition Temperature: 410°C 770°F
Explosivity Characteristics:
 Lower (LEL): 8% (V)
 Upper (UEL): 44.8% (V)
 Vapor Pressure: 9.9 kPa @ 25°C
Density:
 Vapor Density (air=1): 4.53
 Relative Density (water=1): 1.47
Solubility:
 In Water: Insoluble in water.
 Octanol/water Partition Coefficient: log P_{ow}: 2.53
Complementary Data:
 Molecular Weight: No data available
 Evaporation Rate: No data available
Optional Data:
 Viscosity: 0.58 mPas @ 20 °C

SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable at room temperature and under normal conditions.
Hazardous Reactions: Will not polymerize.
Conditions to Avoid: Incompatible materials, ignition sources, and high temperatures/ direct sunlight.
Incompatibilities: Strong alkalis. Reaction with strong alkali metal hydroxides will form dichloroacetylene which can spontaneously ignite in air
 Strong oxidizing substances, amines.
 Avoid contact with metals such as: zinc powders, aluminum powders, magnesium powders, potassium, sodium. Avoid prolonged contact or storage with aluminum or its alloys
Hazardous Decomposition Products: Toxic gases of hydrogen chloride, chlorine, phosgene, carbon monoxide, carbon dioxide.

VALCO CINCINNATI CONSUMER PRODUCTS INC.
MATERIAL SAFETY DATA SHEET
MATERIAL NAME: VALCO SOLVENT 184
PART NUMBER(S): 710XX265, 710XX269
EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053
PRODUCT INFORMATION NO.: (513) 874-6550
DATE ISSUED: FEBRUARY 1, 2018

SECTION 11 – TOXICOLOGICAL INFORMATION

Potential health effects:

Inhalation: Vapors may cause drowsiness and dizziness.
 In case of overexposure, organic solvents may depress the central nervous system causing dizziness and intoxication, and at very high concentrations unconsciousness and death.
Skin Contact: Skin irritation. May cause an allergic skin reaction
 Prolonged contact may cause redness, irritation and dry skin.
Eye Contact: May cause temporary eye irritation.
Ingestion: No specific symptoms noted.

Numerical measures of Toxicity -

Acute Toxicity:	Test	Subject	Value
Inhalation	LC 50	Rat	12,500 ppm (4 hours)
Oral	LD 50	Rat	5,400 mg/kg
Dermal	LD 50	Rabbit	>2,000 mg/kg

Additional Information: RTECS: KX4550000

SECTION 12 – ECOLOGICAL INFORMATION

Eco toxicity:	Test	Subject	Value
Fish:	LC 50	Limanda	16 mg/L (96 hours)
Aquatic invertebrates:	EC 50	Daphnia magna	20.8 mg/l (48 hours)
Aquatic plants:	EC 50	Chlamydomonas reinhardtii	36.5 mg/l (72 hours)
Microorganisms:	EC 50	Activated sludge	260 mg/l (3 hours)
Persistence and degradability:		The product is not readily biodegradable.	2.4 Degradation (%): 14 days
Bio accumulative potential:		Bioconcentration potential is low.	BCF < 100
Mobility in soil:		Potential for mobility in soil is very high	Soil Koc > 41

SECTION 13 – DISPOSAL

Product: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste.
Disposal: Dispose of according to Federal, State, and Local Regulations

SECTION 14 – TRANSPORTATION

The information in this section is for reference only and should not take the place of a bill of lading specific to an order.

UN number: UN 1710
UN proper shipping name: Trichloroethylene
Transport hazard class: 6.1
Packing group number: III
Marine Pollutant: No
Labels & Placards: TOXIC
EMS-No F-A, S-A
RQ: 100 lbs.

SECTION 15 – REGULATORY INFORMATION

US FEDERAL

TSCA: CAS# 79-01-6 is listed on the TSCA inventory.

VALCO CINCINNATI CONSUMER PRODUCTS INC.

MATERIAL SAFETY DATA SHEET

MATERIAL NAME: VALCO SOLVENT 184

PART NUMBER(S): 710XX265, 710XX269

EMERGENCY TELEPHONE NO.: CALL INFOTRAC AT 1-800-535-5053

PRODUCT INFORMATION NO.: (513) 874-6550

DATE ISSUED: FEBRUARY 1, 2018

SECTION 16 – OTHER INFORMATION

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE; OBTAINED FROM SOURCES BELIEVED BY VALCO CINCINNATI, INC. TO BE ACCURATE. SINCE THE CONDITIONS AND METHODS OF USE OF OUR PRODUCT ARE BEYOND OUR CONTROL, WE DISCLAIM ANY AND ALL LIABILITY ARISING OUT OF THE IMPROPER USE OF THIS PRODUCT OR THE INFORMATION PROVIDED HERE WITH.